



CATALOG

TEMPERATURE PROBES

APPLICATION AIR QUALITY

CATEGORY CO2

CATEGORY

C02

Ever more advanced firing techniques demand ever higher performance. This is why our solutions range from single-point to multi-point core needle tips.

0SON206**UR HUMIDITY &
TEMPERATURE WALL
PROBES****PRODUCT FAMILY 60UM15**

Environment probe with CMOS sensor, 80x80x34 mm capsule. Suitable for temperature sensing in refrigeration and air conditioning applications, in air quality control applications, in the field of renewable energy and in the food field.

**TECHNICAL DATA**

TEMPERATURE RANGE	(-30 +70)°C
MODEL	Environment
SENSOR	CMOS
CAPSULE	80x80x34 mm
CABLE	None
TERMINATIONS	Tin-plated, tips, connectors (other terminations available on request)
RESPONSE TIME	10 s in non-static liquid at 63.2% (depends on configuration)
IDENTIFICATION	Laser on cable, label (customizable)
DECLARATIONS OF CONFORMITY	CE MARKING, CONFLICT MINERALS, REACH, REACH, ROHS



SACET S.R.L.
Via del Candel, 55/D
32100 Belluno (BL) Italy

C.F. E P.I. 00654590256

PHONE NUMBER +39 0437 33166

EMAIL info@sacet-probes.com